

### Why choose SATO RFID labels?





#### **High readability**


Provide RFID labels that match RFID printers and achieve high print quality and performance that does not interfere with customers' operations.

**⊘** 100% guaranteed to work with SATO printers

Tags that do not work are removed and shipped

**Storage of production history** 

In addition to standard inlays, SATO offers RFIDs that use original inlays. The original RFID offered by SATO has five features that enable high read rates. These are: antenna design tailored to on-site operations; production equipment that enables high-speed production; tags and labels optimized for each application; and quality control that takes advantage of the know-how accumulated through our involvement in conventional production. We also offer solutions based on the knowledge and expertise we have accumulated in the field.





### **⊘** NO-Plastic

SATO-designed tags do not use plastic substrates.


\* Except for items (No. 062001101 and 062001271) use film-based substrates.

# **Ø NO-Chemicals**

We don't use solvents or produce waste fluid that have adverse impact on the environment.

# **⊘** NO-Waste

We recycle aluminum that were unused during manufacturing.





#### **Total RFID solution**





ASETIRA

Scan be



- RFID products contain sensitive semiconductor chips that may cause their read performance to vary substantially depending on the environment where they are used.
- · Field testing for RFID solutions is required in the customer's actual operating environment prior to implementation.
  - As RFID solutions are built based on field testing, any subsequent changes to tagging positions and other conditions may affect their intended performance.